

Section 6.1

Barbeau TR, Lillywhite HB (2005). Body wiping behaviors associated with cutaneous lipids in hylid tree frogs of Florida. *Journal of Experimental Biology* 208: 2147-2156.

Cartledge VA, Withers PC, Thompson GG, McMaster KA (2006). Water relations of the burrowing sandhill frog, *Arenophryne rotunda* (Myobatrachidae). *Journal of Comparative Physiology B* 176: 295-302.

Champagne AM, Muñoz-Garcia A, Shtayyah T, Tieleman BI, Hegemann A, Clement ME, Williams JB (2012). Lipid composition of the stratum corneum and cutaneous water loss in birds along an aridity gradient. *Journal of Experimental Biology* 215: 4299-4307.

Dautel H (1999). Water loss and metabolic water in starving *Argas reflexus* nymphs (Acari: Argasidae). *Journal of Insect Physiology* 45: 55-63.

Ford SS, Bradshaw SD (2006). Kidney function and the role of arginine vasotocin in three agamid lizards from habitats of differing aridity in Western Australia. *General and Comparative Endocrinology* 147: 62-69.

Geist NR (2000). Nasal respiratory turbinate function in birds. *Physiological and Biochemical Zoology* 73: 581-589.

Gomez NA, Acosta M, Zaidan III F, Lillywhite HB (2006). Wiping behaviour, skin resistance, and the metabolic response to dehydration in the arboreal frog, *Phyllomedusa hypochondrialis*. *Physiological and Biochemical Zoology* 79: 1058-1068.

Huang S-P, Talal S, Ayali A, Gefen E (2015). The effect of discontinuous gas exchange on respiratory water loss in grasshoppers (Orthoptera: Acrididae) varies across an aridity gradient. *Journal of Experimental Biology* 218: 2510-2517.

Lighton JRB, Garrigan DA, Duncan FD, Johnson RA (1993). Spiracular control of respiratory water loss in female alates of the harvester ant *Pogonomyrmex rugosus*. *Journal of Experimental Biology*. 179: 233-244.

Murphy DE, Schmidt-Nielsen K (1970). Exhaled air temperature and water conservation in lizards. *Respiration Physiology* 10: 151-158.

Ostrowski S, Williams JB, Ismael K (2003). Heterothermy and the water economy of free-living Arabian oryx (*Oryx leucoryx*). *Journal of Experimental Biology* 206: 1471-1478.

Ostrowski S, Williams JB, Mésochina P, Sauerwein H (2006). Physiological acclimation of a desert antelope, Arabian oryx (*Oryx leucoryx*), to long-term food and water restriction. *Journal of Comparative Physiology B* 176: 191-201.

Powers DR, Getsinger PW, Tobalske BW, Wethington SM, Powers SD, Warrick DR (2012). Respiratory evaporative water loss during hovering and forward flight in hummingbirds. Comparative Biochemistry and Physiology Part A 161: 279–285.

Ramsay JA (1935). The evaporation of water from the cockroach. Journal of Experimental Biology 12: 373-383.

Rourke BC (2000). Geographic and altitudinal variation in water balance and metabolic rate in a California grasshopper, *Melanoplus sanguinipes*. Journal of Experimental Biology 203: 2699-2712.

Schmidt-Nielsen K, Hainsworth FR, Murrish DE (1970). Counter-current heat exchange in the respiratory passages: Effect on water and heat balance. Respiration Physiology 9: 263-276.

Schmidt-Nielsen K, Schroter RC, Shkolnik A (1981). Desaturation of exhaled air in camels. Proceedings of the Royal Society of London. Series B, Biological Sciences 211: 305-319.

Tattersall GJ, Cadena V, Skinner MC (2006). Respiratory cooling and thermoregulatory coupling in reptiles. Respiratory Physiology and Neurobiology 154: 302-318.

Tieleman BI, Williams JB (2002). Cutaneous and respiratory water loss in larks from arid and mesic environments. Physiological and Biochemical Zoology 75: 590-599.

Tieleman BI, Williams JB, Michaeli G, Pinshow B (1999). The role of the nasal passages in the water economy of crested larks and desert larks. Physiological and Biochemical Zoology 72: 219-226.

Tu MC, Lillywhite HB, Menon JG, Menon GK (2002). Postnatal ecdysis establishes the permeability barrier in snake skin: new insights into barrier lipid structures. Journal of Experimental Biology 205: 3019–3030.

Van Sant MJ, Oufiero CE, Muñoz-Garcia A, Hammond KA, Williams JB (2012). A phylogenetic approach to total evaporative water loss in mammals. Physiological and Biochemical Zoology 85: 526–532.

Wigglesworth VB (1945) Transpiration through the cuticle of insects. Journal of Experimental Biology 21: 97-115.

Williams CM, Pelini SL, Hellmann JJ, Sinclair BJ (2010). Intra-individual variation allows an explicit test of the hygric hypothesis for discontinuous gas exchange in insects. Biology Letters 6: 274-277.

Wolf BO, Walsberg GE (1996). Respiratory and cutaneous evaporative water loss at high environmental temperatures in a small bird. Journal of Experimental Biology 199: 451–457.

Woodman JD (2008). Living in a shallow burrow under a rock: gas exchange and water loss in an Australian scorpion. *Journal of Thermal Biology* 33: 280-286.

Wygoda ML, Kersten CA (2013). Effects of water vapour density on cutaneous resistance to evaporative water loss and body temperature in green tree frogs (*Hyla cinerea*). *Physiological and Biochemical Zoology* 86: 559-566.

Young JE, Christian KA, Donnellan S, Tracy CR, Parry D (2005). Comparative analysis of cutaneous evaporative water loss in frogs demonstrates correlation with ecological habits. *Physiological and Biochemical Zoology* 78: 847-56.

Section 6.2

Cartledge VA, Withers PC, Thompson GG, McMaster KA (2006). Water relations of the burrowing sandhill frog, *Arenophryne rotunda* (Myobatrachidae). *Journal of Comparative Physiology B* 176: 295-302.

Dunkin RC, Wilson D, Way N, Johnson K, Williams TM (2013). Climate influences thermal balance and water use in African and Asian elephants: physiology can predict drivers of elephant distribution. *Journal of Experimental Biology* 216: 2939-2952.

Edney EB (1966). Absorption of water vapour from unsaturated air by *Arenivaga* sp. (polyphagidae, dictyoptera). *Comparative Biochemistry and Physiology* 19: 387-408.

Hansen LL, Ramløv H, Westh P (2004). Metabolic activity and water vapour absorption in the mealworm *Tenebrio molitor* L. (Coleoptera, Tenebrionidae): real-time measurements by two-channel microcalorimetry. *Journal of Experimental Biology* 207: 545-552.

Hentschel JR, Seely MK (2008). Ecophysiology of atmospheric moisture in the Namib Desert. *Atmospheric Research* 87: 362-368

Holmstrup M, Bayley M (2013). *Protaphorura tricampata*, a euedaphic and highly permeable springtail that can sustain activity by osmoregulation during extreme drought. *Journal of Insect Physiology* 59: 1104-1110.

Nagy KA, Bradshaw SD (2000). Scaling of energy and water fluxes in free-living arid-zone Australian marsupials. *Journal of Mammalogy* 81: 962-970.

Nagy KA, Knight MH (1994). Energy, water, and food use by springbok antelope (*Antidorcas marsupialis*) in the Kalahari desert. *Journal of Mammalogy* 75: 860-872.

Nørgaard T, Dacke M (2010). Fog-basking behaviour and water collection efficiency in Namib Desert darkling beetles. *Frontiers in Zoology* 7: 23;
<http://www.frontiersinzoology.com/content/7/1/23>

O'Donnell MJ, Machin J (1991). Ion activities and electrochemical gradients in the mealworm rectal complex. *Journal of Experimental Biology* 155: 375-402.

Ramsay JA (1964). The rectal complex of the mealworm *Tenebrio molitor*, L. (Coleoptera, Tenebrionidae). *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 248: 279-314.

Tracy RL, Walsberg GE (2002). Kangaroo rats revisited: re-evaluating a classic case of desert survival. *Oecologia* 133: 449-457.

Williams JB, Ostrowski S, Bedin E, Ismail K (2001). Seasonal variation in energy expenditure, water flux and food consumption of Arabian oryx *Oryx leucoryx*. *Journal of Experimental Biology* 204: 2301-2311.