

## **Section 16.1**

Anderson RC, Mather JA, Monette MQ, Zimsen SRM (2010). Octopuses (*Enteroctopus dofleini*) recognize individual humans. *Journal of Applied Animal Welfare Science* 13: 261-272.

Von Bartheld CS, Lindörfer HW, Meyer DL (1987). The nervus terminalis also exists in cyclostomes and birds. *Cell and Tissue Research*. 250: 431-434.

Chalfie M, Sulston JE, White JG, Southgate E, Thomson JN, Brenner S (1985). The neural circuit for touch sensitivity in *Caenorhabditis elegans*. *The Journal of Neuroscience* 5: 956-964.

Conaco C, Bassett DS, Zhou H, Arcila ML, Degnan SM, Degnan BM, Kosik KS (2012). Functionalization of a protosynaptic gene expression network. *Proceedings of the National Academy of Sciences U S A* 109 (Suppl 1): 10612-10618.

DeCasien AR, Williams SA, Higham JP (2017). Primate brain size is predicted by diet but not sociality. *Nature Ecology and Evolution* 1: 0112.

Fuller GN, Burger PC (1990). Nervus terminalis (cranial nerve zero) in the adult human. *Clinical Neuropathology* 9: 279-283.

Kupfermann I, Carew TJ, Kandel ER (1974). Local, reflex, and central commands controlling gill and siphon movements in *Aplysia*. *Journal of Neurophysiology* 37: 996-1019.

Nomaksteinsky M, Kassabov S, Chettouh Z, Stoeklé H-C, Bonnaud L, Fortin G, Kandel ER, Brunet J-F (2013). Ancient origin of somatic and visceral neurons. *BMC Biology* 11:53.

Pierobon P (2012). Coordinated modulation of cellular signalling through ligand-gated ion channels in *Hydra vulgaris* (Cnidaria, Hydrozoa). *International Journal of Developmental Biology* 56: 551-565.

Sandeman D, Sandeman R, Derby C, Schmidt M (1992). Morphology of the brain of crayfish, crabs, and spiny lobsters: a common nomenclature for homologous structures. *Biological Bulletin*. 183: 304-326.

Simmons P (1977). The neural control of dragonfly flight II. *Physiology. Journal of Experimental Biology* 71: 144-155.

White JG, Southgate E, Thomson JN, Brenner S (1986). The structure of the nervous system of the nematode *Caenorhabditis elegans*. *Philosophical Transactions of the Royal Society London (Biology)* 314: 1-340.

## **Section 16.2**

Alam A, Jiang Y (2009). Structural analysis of ion selectivity in the NaK channel. *Nature Structural and Molecular Biology* 16: 35–41.

Baker PF, Hodgkin AL, Shaw TI (1962). The effects of changes in internal concentrations on the electrical properties of perfused giant axons. *Journal of Physiology* 164: 355-374.

Bartzokis G, Lu PH, Tingus K, Mendez MF, Richards A, Peters DG, Oluwadara B, Barrall KA, Finn JP, Villablanca P, Thomson PM, Mintz J (2010). Lifespan trajectory of myelin integrity and maximum motor speed. *Neurobiology of Aging* 31: 1554-1562.

Conti F, Neher E (1980). Single channel recordings of K currents in squid axons. *Nature* 285: 140-143.

Curtis HJ, Cole KS (1942). Membrane resting and action potentials from the squid giant axon. *Journal of Cellular and Comparative Physiology* 19: 135-144.

Hille B (1972). The permeability of the sodium channel to metal cations in myelinated nerve. *Journal of General Physiology* 59: 637–658.

Hodgkin AL, Huxley AF (1952). Currents carried by sodium and potassium ions through the membrane of the giant axon of *Loligo*. *Journal of Physiology* 116: 449-472.

Hodgkin AL, Huxley AF (1952). The components of membrane conductance in the giant axon of *Loligo*. *Journal of Physiology* 116: 473–496.

Hodgkin AL, Huxley AF (1952). A quantitative description of membrane current and its application to conduction and excitation in nerve. *Journal of Physiology* 117: 500–544.

Hodgkin AL, Huxley AF (1953). Movement of radioactive potassium and membrane current in a giant axon. *Journal of Physiology* 121: 403–414.

Hodgkin AL, Katz B (1949). The effect of sodium ions on the electrical activity of the giant axon of the squid. *Journal of Physiology* 108: 37–77.

Huxley AF, Stämpfli R (1949). Evidence for saltatory conduction in peripheral myelinated nerve fibres. *Journal of Physiology* 108: 315-359.

Stuart GJ, Dodt H-U, Sakmann B (1993). Patch-clamp recordings from the soma and dendrites of neurons in brain slices using infrared video microscopy. *Pflügers Archiv* 423: 511-518.

Yarov-Yarovoy V, Baker D, Catterall WA (2006). Voltage sensor conformations in the open and closed states in ROSETTA structural models of K<sup>+</sup> channels. *Proceedings of the National Academy of Sciences of the United States of America* 103: 7292–7297.

### **Section 16.3**

Clemens S, Combes D, Meyrand P, Simmers J (1998). Long-term expression of two interacting motor pattern-generating networks in the stomatogastric system of freely behaving lobster. *Journal of Neurophysiology* 79: 1396-1408.

Li J, Wilkinson B, Clementel VA, Hou J, O'Dell TJ, Coba MP (2016). Long-term potentiation modulates synaptic phosphorylation networks and reshapes the structure of the postsynaptic interactome. *Science Signaling* 9: 440, RS8.

Makowski L, Caspar DL, Phillips WC, Baker TS, Goodenough DA (1984). Gap junction structures VI. Variation and conservation in connexon conformation and packing. *Biophysical Journal* 45: 208-218.

Markram H, Lübke J, Frotscher M, Sakmann B (1997). Synaptic efficacy by coincidence of postsynaptic APs and EPSPs. *Science* 275: 213-215.

Morris RG, Anderson E, Lynch GS, Baudry M (1986). Selective impairment of learning and blockade of long-term potentiation by an N-methyl-D-aspartate receptor antagonist, AP5. *Nature* 319: 774-776.