

MMPI-A & MMPI-A-RF PRACTICE CASES

Practice Case: Hailey

Hailey completed the MMPI-A as part of a comprehensive assessment at a residential treatment center. She was referred for evaluation by family services after she was expelled from school. The referring agency thought an evaluation would help identify appropriate interventions for Hailey to participate in. Both the MMPI-A and the MMPI-A-RF score reports were derived from this same test administration.

Hailey is a 15-year-old Biracial (White- and Black-American) girl. She is an only child and was raised primarily by her biological parents. Hailey had a stressful childhood due to her parents' use of drugs and inconsistent supervision. Hailey was involved with family services on several occasions for neglect. Hailey described being in therapy multiple times for stress related to these circumstances. She thought she had been diagnosed with "depression." Hailey's father died of a drug overdose when she was 13. At age 14, Hailey began living with an aunt because her mother was imprisoned for drug-related charges. Hailey reported disliking living with her aunt and Hailey's aunt described her as being "hard to manage."

At the time she was expelled, Hailey was in the 10th grade. Hailey achieved good marks in school until the 9th grade. Hailey said she "stopped caring" about school. Hailey had long-standing problems with school attendance and was suspended from school in the last year for smoking marijuana on school grounds and for disrupting the classroom by socializing. Hailey had also been in trouble with the law. Her legal record indicated she had been arrested for vandalizing property, shoplifting, and marijuana possession. Hailey said she smoked marijuana approximately one time a week, and she denied any other use of substances.

Hailey denied having any current difficulties with her mental health, though she said she felt sad when she thought about her parents. Hailey said the most important thing in her life was her friends. Hailey thought her friends were likely a bad influence because they frequently were in trouble for using drugs, stealing, and fighting. Hailey was in a long-term romantic and sexual relationship with a boy from her school. Hailey's aunt reported Hailey frequently sneaked out of the house at night to attend parties with her boyfriend.

Hailey was cooperative but needed several breaks to complete the test. She reported being motivated to complete the test because she thought it might "get people off my back."

Hailey's MMPI-A-RF Profile



Minnesota Multiphasic
Personality Inventory-Adolescent
Restructured Form™

Score Report

MMPI-A-RF®

Minnesota Multiphasic Personality Inventory-Adolescent-Restructured Form™

Robert P. Archer, PhD, Richard W. Handel, PhD, Yossef S. Ben-Porath, PhD, & Auke Tellegen, PhD

Name: Hailey
ID Number:
Age: 15
Gender: Female
Years of Education: Not reported
Date Assessed: 09/01/2015

Reproduced by permission of the University of Minnesota Press. All rights reserved. "MMPI-A-RF" is a registered trademark of the Regents of the University of Minnesota; "Minnesota Multiphasic Personality Inventory-Adolescent-Restructured Form" is an unregistered trademark of the Regents of the University of Minnesota.

Copyright © 2016 by the Regents of the University of Minnesota. All rights reserved.
Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc. Portions reproduced from the MMPI-A-RF test booklet. Copyright © 2016 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the *MMPI-A-RF Administration, Scoring, Interpretation, and Technical Manual*. Copyright © 2016 by the Regents of the University of Minnesota. All rights reserved. Used by permission of the University of Minnesota Press.


MMPI-A-RF is a registered trademark and **Minnesota Multiphasic Personality Inventory-Adolescent-Restructured Form** is a trademark of the University of Minnesota. **Pearson** is a trademark in the U.S. and/or other countries of Pearson Education, Inc., or its affiliate(s).

TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

[1.2 / 18 / QG]

MMPI-A-RF Validity Scales




Raw Score:	0	5	0	1	1	7
T Score:	37	50	36	44	44	60
Response %:	100	100	100	100	100	100
Cannot Say (Raw):	1					
				Percent True (of items answered):		42%

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-A-RF T scores are non-gendered.

VRIN-r	Variable Response Inconsistency	F-r	Infrequent Responses
TRIN-r	True Response Inconsistency	L-r	Uncommon Virtues
CRIN	Combined Response Inconsistency	K-r	Adjustment Validity

MMPI-A-RF Higher-Order (H-O) and Restructured Clinical (RC) Scales




Raw Score:	3	0	15	1	2	1	5	13	0	2	0	5
T Score:	39	37	69	37	41	44	48	74	37	40	42	50
Response %:	100	100	100	100	100	100	100	100	100	100	100	100

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-A-RF T scores are non-gendered.

EID	Emotional/Internalizing Dysfunction	RCd	Demoralization	RC6	Ideas of Persecution
THD	Thought Dysfunction	RC1	Somatic Complaints	RC7	Dysfunctional Negative Emotions
BXD	Behavioral/Externalizing Dysfunction	RC2	Low Positive Emotions	RC8	Aberrant Experiences
		RC3	Cynicism	RC9	Hypomanic Activation
		RC4	Antisocial Behavior		

MMPI-A-RF Somatic/Cognitive and Internalizing Scales




Raw Score:	1	0	0	0	0	1	0	0	0	4	0	4	0	4
T Score:	42	44	41	39	40	43	36	39	38	49	41	61	43	74
Response %:	100	100	100	100	100	100	100	100	100	100	100	100	100	100

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-A-RF T scores are non-gendered.

MLS	Malaise	HLP	Helplessness/Hopelessness	AXY	Anxiety
GIC	Gastrointestinal Complaints	SFD	Self-Doubt	ANP	Anger Proneness
HPC	Head Pain Complaints	NFC	Inefficacy	BRF	Behavior-Restricting Fears
NUC	Neurological Complaints	OCS	Obsessions/Compulsions	SPF	Specific Fears
COG	Cognitive Complaints	STW	Stress/Worry		

MMPI-A-RF Externalizing and Interpersonal Scales




Raw Score:	1	4	5	1	5	1	3	0	0	1	0
T Score:	45	52	71	53	81	40	45	40	38	39	41
Response %:	100	100	100	100	100	100	100	100	100	100	80

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-A-RF T scores are non-gendered.

NSA	Negative School Attitudes	FML	Family Problems
ASA	Antisocial Attitudes	IPP	Interpersonal Passivity
CNP	Conduct Problems	SAV	Social Avoidance
SUB	Substance Abuse	SHY	Shyness
NPI	Negative Peer Influence	DSF	Disaffiliativeness
AGG	Aggression		

MMPI-A-RF Personality Psychopathology Five (PSY-5) Scales



Raw Score:	5	0	12	5	1
T Score:	46	40	66	45	40
Response %:	100	100	100	100	100

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-A-RF T scores are non-gendered.

AGGR-r Aggressiveness-Revised
 PSYC-r Psychoticism-Revised
 DISC-r Disconstraint-Revised
 NEGE-r Negative Emotionality/Neuroticism-Revised
 INTR-r Introversiveness/Low Positive Emotionality-Revised

MMPI-A-RF T SCORES (BY DOMAIN)

PROTOCOL VALIDITY

Content Non-Responsiveness	1	37	50	36
	CNS	VRIN-r	TRIN-r	CRIN
Over-Reporting	44			
	F-r			
Under-Reporting	44	60		
	L-r	K-r		

SUBSTANTIVE SCALES

Somatic/Cognitive Dysfunction	41	42	44	41	39	40		
	RC1	MLS	GIC	HPC	NUC	COG		
Emotional Dysfunction	39	37	43	36	39			
	EID	RCd	HLP	SFD	NFC			
		44	40					
		RC2	INTR-r					
		40	38	49	41	61	43	74
		RC7	OCS	STW	AXY	ANP	BRF	SPF
								NEGE-r
Thought Dysfunction	37	37						
	THD	RC6						
		42						
		RC8						
		40						
		PSYC-r						
Behavioral Dysfunction	69	74	45	52	71	53	81	
	BXD	RC4	NSA	ASA	CNP	SUB	NPI	
		50	40	46	66			
		RC9	AGG	AGGR-r	DISC-r			
Interpersonal Functioning	45	48	40	38	39	41*		
		FML	RC3	IPP	SAV	SHY	DSF	

*The adolescent provided scorable responses to less than 90% of the items scored on this scale. See the relevant profile page for the specific percentage.

Note. This information is provided to facilitate interpretation following the recommended structure for MMPI-A-RF interpretation in Chapter 7 of the *MMPI-A-RF Administration, Scoring, Interpretation, and Technical Manual*, which provides details in the text and an outline in Table 7-1.

NOTE: The final pages of this report display any items that were skipped or unscorable as well as any endorsed items that are part of a critical responses or critical items list. These sections include both the item number and content. The final page of the report includes the test taker's item level responses to every test item. These pages are not displayed in this book in order to maintain test security; however, redacted sample reports are available on the Pearson Assessments' website.

SAMPLE